



Features:

- **The advanced Android 13.0**
Lightning-fast processing, enhanced stability, and 8GB RAM + 64GB ROM for an optimized experience.
- **Immersive audio-visual experience**
48M 4K AI Camera with Auto Framing & Voice Tracking, paired with four 16W speakers for enriched experience.
- **4K UHD display with zero bonding**
Support for all-channel 4K UI display with high brightness and high contrast.
- **NFC Access Control**
Infinite customization of NFC cards with unique features such as one-touch power control, screen lock, unlock, and touch lock that make complex tasks a breeze.
- **Smart Lighting, Precision Monitoring**
Experience tailored comfort with adaptive brightness using the light sensor and precise environmental monitoring through the temperature monitor.



Intelligent Conference Flat Panel

TV-X1386C1 /customized/

Display

Model	65 MD	75 MD	86 MD	98 MD	110 MD
Diagonal Size	65"	75"	86"	98"	110"
Brightness	425cd/m ²		450cd/m ²		400cd/m ²
Dynamic Contrast Ratio	5000: 1				
Contrast Ratio	1200: 1				
Panel Type	TFT				
Backlight	Direct LED (DLED)				
Resolution	4K UHD (3840*2160)				
Aspect Ratio	16:9				
Response Rate	8ms (typ.)				
Refreshing Frequency	60Hz				
Viewing Angle	178° (H), 178° (V)				
Backlight Life Time	50,000 hrs				
Display Colors	10bit(1.07B)				
Glass	4mm Tempered Glass with Anti-Glare coating (8H)				

Interactivity

Touch Technology	Infrared
Touch Point	40-point touch; 40-point writing under Windows; 16-point writing under Android
Touch Resolution	32768 x 32768 px
Response Rate	<2.0ms(single touch) <6ms(max touch inputs)
Touch Accuracy	≤1mm
Recognition	Finger or pen
Writing Height	2mm
Minimum Touch Object	1.5mm
Supported O.S.	HID Support & Win10/Win8/Win7/Mac OS /Android/Chrome OS/Linux

Physical Specifications

	65"	75"	86"	98"	110"
Net Weight	41 ± 1	52.8 ± 1	66 ± 1	106 ± 1	128
Gross Weight	48.9 ± 1	63.6 ± 1	76.2 ± 1	121 ± 1	153
Product Size (mm) (W*H*D)	1483.4* 916.4*115	1705.8* 1041.7*115	1952* 1180.4*115	2215.8* 1330.6*103	2499.4* 1487*103
Packing Size (mm) (W*H*D)	1630*1050* 220	1860*1160* 220	2120*1325* 220	2525*1700* 325	2680*1800* 330
VESA Hole Position (mm)	4-M8 screw hole 500*40 0	4-M8 screw hole 600*40 0	4-M8 screw hole 800*40 0	4-M8 screw hole 1000*4 00	4-M8 screw hole 1000*4 00

Environmental

Working Temperature	0°C ~ 40°C
Storage Temperature	-20°C ~ 60°C
Working Humidity	20% ~ 80% RH Non-Condensing
Storage Humidity	20% ~ 90% RH Non-Condensing

Power

Voltage	100V~240V AC 50 / 60Hz				
Maximum Power	≤350W	≤400W	≤450W	≤550W	≤850W
Standby Power	≤ 0.5W				

Language

OSD	Simplified, Traditional, Japanese, English, Korean, Vietnamese, Thai, Russian, Swedish, Portuguese, Polish, Dutch, Italian, French, Indonesian, Finnish, Spanish, German, Danish, Czech, Arabic
-----	---

Front Buttons

1 Button	POWER
----------	-------



Intelligent Conference Flat Panel

TV-X1386C1 /customized/

Connectivity

Front	USB(Android&PC)3.0	2
	HDMI IN 2.0	1
	TOUCH-USB	1
	TYPE-C (USB2.0&Video&Audio&Touch&65W)	1

Input	RJ45 (10/100/1000 Mbit/s LAN Share)	1
	HDMI 2.0(4K 60 fps)	3
	TYPE-C (USB2.0&Video&Audio&Touch&15W)	1
	DP 1.2	1
	Audio Input	1
	VGA	1
	VGA Audio	1
	USB3.0 (Android&PC)Type-A	2
	USB2.0 (Android)Type-A	1
	USB3.0 (for Touch)Type B	3
RS232	1	

Output	HDMI 2.0 (4K 60 fps)	1
	SPDIF OUT (Optical)	1
	RJ45 (10/100/1000 Mbit/s LAN)	1
	EARPHONE(3.5 mm Line Out)	1
	TYPE-C (Video&Audio&Touch&5W)	1

Speakers	16W* 2+16W*2
Built-in Camera	48M(Built-in Pre -Video 4K AI Camera with Auto Framing & Voice Tracking)
Array Microphone	8 Array microphone (0-10m)
Temperature Monitor	YES
Light Sensor	YES

WiFi	IEEE 802.11 a/b/g/n/ac, IEEE 802.1x, WPA2, WiFi6 and station mode(2.4G/5G Dual-band);
Hotspot	IEEE 802.11 a/b/g/n/ac, IEEE 802.1x, WPA2, and station mode(2.4G/5G Dual-band);
Bluetooth	5.2

Android

CPU Framework	4*A76+4*A55
CPU	Quad-core Cortex-A76 x 4 (2.4GHz) and Quad core Cortex-A55 x 4 (1.8GHz),
GPU	ARM Mali-G610 MP4
RAM	8G
STORAGE	128G
O.S. Version	13.0
Screen Share (Standard)	EShare Pro
MDM	YES
NFC/Fingerprint	NFC

OPS

Chipset	Intel
CPU	Intel@Core i7-12th
Memory	16GB
SSD	512GB

OPS Interfaces

USB2.0	2
USB3.0	2
LAN	1
HDMI	1
LINE-OUT	1
MIC-IN	1

Warranty 3 years

